

063 R7 Antiabrasion Twin

MEDIUM
PRESSURE

HIGH
PRESSURE

CONSTANT
PRESSURE

VERY HIGH
PRESSURE



SPECIALITIES

OFF SHORE
MASTER

MICRO BORE

TWIN HOSES

Part No.	Hose size			ID		OD		WP		BP		Safety factor	Bend radius		Weight		Ferrule part no.	
	dash	inch	DN	mm	inch	mm	inch	bar	psi	bar	psi		mm	inch	g/m	lbs/ft	carbon	stainless
0630	-2	1/8"	4	4,00	0,157	8,30	0,327	210	3000	840	12000	4:1	25	0,98	90	0,060	SAB101	SAB801
0631	-3	3/16"	5	5,00	0,197	9,60	0,378	210	3000	840	12000	4:1	25	0,98	120	0,081	SAB111	SAB811
0632	-4	1/4"	6	6,50	0,256	12,20	0,480	210	3000	840	12000	4:1	35	1,38	200	0,134	SAB121	SAB821
0633	-5	5/16"	8	8,10	0,319	14,30	0,563	190	2700	760	10800	4:1	45	1,77	260	0,175	SAB131	SAB831
0634	-6	3/8"	10	9,70	0,382	16,00	0,630	160	2300	640	9200	4:1	55	2,17	290	0,195	SAB141	SAB841
0635	-8	1/2"	12	13,00	0,512	20,30	0,799	140	2000	560	8000	4:1	75	2,95	440	0,296	SAB151	SAB851
0636	-10	5/8"	16	16,30	0,642	23,70	0,933	105	1500	420	6000	4:1	110	4,33	560	0,376	SAB161	SAB861
0637	-12	3/4"	20	19,50	0,768	27,10	1,067	90	1300	360	5200	4:1	140	5,51	670	0,450	SAB171	SAB871
0638	-16	1"	25	25,90	1,020	34,00	1,339	70	1000	280	4000	4:1	190	7,48	910	0,612	SAB181	SAB881

088 1SB Steel Braid Antiabrasion Twin



Part No.	Hose size			ID		OD		WP		BP		Safety factor	Bend radius		Weight		Ferrule part no.	
	dash	inch	DN	mm	inch	mm	inch	bar	psi	bar	psi		mm	inch	g/m	lbs/ft	carbon	stainless
0881	-3	3/16"	5	5,00	0,197	9,70	0,382	360	5200	1440	20800	4:1	30	1,18	240	0,181	SAB111	SAB811
0882	-4	1/4"	6	6,40	0,252	11,60	0,457	310	4400	1240	18000	4:1	40	1,57	330	0,208	SAB121	SAB821
0883	-5	5/16"	8	8,10	0,319	13,20	0,520	250	3600	1000	14400	4:1	55	2,17	380	0,255	SAB131	SAB831
0884	-6	3/8"	10	9,80	0,386	15,50	0,610	225	3200	900	12800	4:1	65	2,56	460	0,309	SAB141	SAB841
0885	-8	1/2"	12	13,00	0,512	18,80	0,740	190	2700	760	10800	4:1	85	3,35	600	0,403	SAB151	SAB851
0886	-10	5/8"	16	16,30	0,642	22,00	0,866	140	2000	560	8000	4:1	115	4,53	670	0,450	SAB161	SAB861
0887	-12	3/4"	20	19,50	0,768	25,80	1,016	115	1600	460	6400	4:1	145	5,71	880	0,591	SAB171	SAB871
0888	-16	1"	25	25,80	1,016	33,00	1,299	95	1300	380	5200	4:1	180	7,09	1300	0,874	SAB181	SAB881